

# MSS Final



BAU#1

- 1) Most medial part of cubital fossa is ?
  - Median nerve \*
- 2) prototypic antiherpetic therapeutic agent is?
  - Acyclovir\*
- 3) drug used for hyperpigmentation that inhibit melanin synthesis
  - Hydroquinone \*
- 4) Which from the next muscles isn't involved in arm adduction?
  - Triceps
  - Deltoid\*
  - pectoralis major
  - latissimus dorsi
- 5) Which of the following mutations is related to osteoarthritis?
  - RB \*
- 6) About DMD what is the FALSE statement ?
  - Autosomal dominant disease\*
- 7) To differentiate the eccrine from apocrine under the microscope which of the statement is true?
  - Lumen of apocrine sweat glands is larger than eccrine one \*
- 8) Which of the following is connect to the glassy membrane ?
  - external sheath\*
- 9) Meissner's corpuscles are found in ?
  - papillary layer of dermis \*
- 10) Which of the following agents is used to treat androgenic alopecia ?

- Minoxidil\*

11) Which from the next is the first line treatment of pediculosis?

- Pyrethrins\*

12) Which of the next agents has an anti-inflammatory actions + antibacterial against p.acne + anticomedogenic?

- azeliac acid\*

13) the most deep muscle of the next is ?

- abductor pollicis brevis
- flexor pollicis brevis
- opponens pollicis
- palmaris brevis
- adductor pollicis \*\*

14) Which of the next muscles flex metacarpophalangeal and extend interphalanges?

- Lumbricles\*

15) From the next which one is the superior ligament in hip joint?

- iliofemoral \*

16) Which of the next muscles is separated directly from hip joint by bursa?

- Iliopsoas\*

17) Sphenomandibular ligament is attached to the mandible on ?

- Ingula\*

18) Fever is associated from which from the next?

- Folliculitis
- Impetigo
- Acne vulgaris
- Erysipelas \*

19) Papules vesicles nodules and linear burrows are associated with?

- sarcoptes scabiei\*

20) Fine touch give information about all the next except?

- Size
- Texture
- Volume\*

21) from the next which is the faster fiber?

- Ia\*

22) Toward Loewenstein's experiment when the first node of Ranvier was blocked by pressure or with narcotics what is the correct statement?

- Generator potential persist but action potential absent \*

23) Which of the following statement is correct?

- Temp of subcutaneous tissues that determines the responses but not subepithelial \*

24) Which from the next is incorrect?

- Limb bud from on dorsal \* ( the correct is ventral lateral wall)

25) Which from the next is incorrect?

- polarizing zone is responsible of forming the boundary between dorsal and ventral limb ectoderm \* ( the correct is AER)

26) Deltoid ligament is involved in?

- ankle joint\*

*"I'm not telling you it's going to be easy - I'm telling you it's going to be worth" ✌*

Collected by: Ahmad Al-Masri

Good Luck